

Core Abatement Strategies

A. Naloxone or Other FDA-Approved Drug to Reverse Opioid Overdoses

1. Expand training for first responders, schools, community support groups, and families.

No. of persons educated on how to respond to an overdose

2. Increase distribution to individuals who are uninsured or whose insurance does not cover the needed service.

No. of Naloxone kits distributed to at-risk individuals

No. of Fentanyl test kits distributed to at-risk individuals

B. Medication-Assisted Treatment (MAT) Distribution and Other Opioid-Related Treatment

1. Increase distribution of MAT to individuals who are uninsured or whose insurance does not cover the needed service.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

No. of adults completing some form of detox

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases

No. of adults connected to treatment for communicable diseases

No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

No. of adults connected to childcare

No. of adults connected to education or job training

No. of adults connected to a job / employment

2. Provide education to school-based and youth-focused programs that discourage or prevent misuse.

No. of children, infant to 5 years old, participating in prevention/education programming

No. children, elementary school age, participating in prevention/education programming

No. of children, middle school age, participating in prevention/education programming

No. of children, high school age, participating in prevention/education programming

No. of teachers participating in prevention/education programming

No. of health care professionals participating in prevention/education programming

No. of key officials / policy makers participating in prevention/education programming

3. Provide MAT education and awareness training to health care providers, EMTs, law enforcement, and other first responders.

No. of health care professionals participating in prevention/education programming

No. of law enforcement officers participating in prevention/education programming

No. of first responders participating in prevention/education programming

No. of key officials / policy makers participating in prevention/education programming

4. Provide treatment and recovery support services, such as: residential and inpatient treatment, intensive outpatient treatment, outpatient therapy or counseling, and recovery housing that allows or integrates medication with other support services.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

No. of adults completing some form of detox

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases

No. of adults connected to treatment for communicable diseases

No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

C. Pregnant and Postpartum Women

1. Expand Screening, Brief Intervention, and Referral to Treatment (SBIRT) services to non-Medicaid eligible or uninsured pregnant women.

No. of pregnant / postpartum women screened using SBIRT

2. Expand comprehensive evidence-based treatment and recovery services, including MAT, for women with co-occurring Opioid Use Disorder (OUD) and other Substance Use Disorder (SUD)/Mental Health disorders for uninsured individuals for up to 12 months postpartum.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT

3. Provide comprehensive wrap-around services to individuals with OUD, including housing, transportation, job placement/training, and childcare.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases

No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT

D. Expanding Treatment for Neonatal Abstinence Syndrome (NAS)

1. Expand comprehensive evidence-based and recovery support for NAS babies.

No. of NAS babies receiving evidence-based and recovery support services.

2. Expand services for a better continuum of care with infant-need dyad.

No. of parents/infants receiving continuum of care for infant-need dyad.

3. Expand long-term treatment and services for medical monitoring of NAS babies and their families.

No. of families with NAS babies receiving long-term treatment and services for medical monitoring.

E. Expansion of Warm Handoff Programs and Recovery Services

1. Expand services, such as navigators and on-call teams to begin MAT in hospital emergency departments.

No. of individuals hired for emergency department MAT. No. of individuals inducted onto MAT in emergency departments.

2. Expand warm hand-off services to transition to recovery services.

No. of individuals transitioned to recovery services.

3. Broaden the scope of recovery services to include co-occurring SUD or mental health conditions.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

4. Provide comprehensive wrap-around services to individuals in recovery, including housing, transportation, job placement/training, and childcare.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services

No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

5. Hire additional social workers or other behavioral health workers to facilitate the expansions of warm handoff programs and recovery services.

No. of individuals hired.
No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

F. Treatment for Incarcerated Population

1. Provide evidence-based treatment and recovery support, including MAT for persons with OUD and co-occurring SUD/MH disorders within and transitioning out of the criminal justice system.

No. of individuals receiving SUD screening while incarcerated

No. of individuals completing some form of detox while incarcerated

No. of individuals tested for communicable diseases while incarcerated

No. of individuals testing positive for communicable diseases while incarcerated

No. of individuals connected to treatment for communicable diseases while incarcerated

No. of individuals provided SUD therapeutic counseling while incarcerated

No. of individuals provided Medication Assisted Treatment for SUD while incarcerated

No. of individuals provided professional mental health care while incarcerated

No. of individuals connected to peer supports/recovery services while incarcerated

No. of individuals provided with education or job training while incarcerated

No. of individuals incarcerated provided with an SUD-specific release plan

2. Increase funding for jails to provide treatment to inmates with OUD.

No. of individuals receiving SUD screening while incarcerated

No. of individuals completing some form of detox while incarcerated

No. of individuals tested for communicable diseases while incarcerated

No. of individuals testing positive for communicable diseases while incarcerated

No. of individuals connected to treatment for communicable diseases while incarcerated

No. of individuals provided SUD therapeutic counseling while incarcerated

No. of individuals provided Medication Assisted Treatment for SUD while incarcerated

No. of individuals provided professional mental health care while incarcerated

No. of individuals connected to peer supports/recovery services while incarcerated

No. of individuals provided with education or job training while incarcerated

No. of individuals incarcerated provided with an SUD-specific release plan

G. Prevention Programs

1. Funding for media campaigns to prevent opioid use (similar to the FDA's "Real Cost" campaign to prevent youth from misusing tobacco).

No. of media campaign impressions

2. Funding for evidence-based prevention programs in schools.

No. of children, infant to 5 years old, participating in prevention/education programming

No. children, elementary school age, participating in prevention/education programming

No. of children, middle school age, participating in prevention/education programming
No. of children, high school age, participating in prevention/education programming
No. of teachers participating in prevention/education programming
No. of health care professionals participating in prevention/education programming
No. of key officials / policy makers participating in prevention/education programming

3. Funding for medical provider education and outreach regarding best prescribing practices for opioids consistent with the 2016 CDC guidelines, including providers at hospitals (academic detailing).

No. of health care professionals participating in prevention/education programming
No. of medical provider receiving education and outreach regarding best prescribing practices for opioids consistent with the 2016 CDC guidelines, including providers at hospitals (academic detailing)

4. Funding for community drug disposal programs.

No. of take back/drug disposal events
No. of persons educated on drug disposal

5. Funding and training for first responders to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports.

No. of first responders trained.

H. Expanding Syringe Service Programs

1. Provide comprehensive syringe services programs with more wrap-around services, including linkage to OUD treatment, access to sterile syringes, and linkage to care and treatment of infectious diseases.

No. of clean syringes provided.
No. of individuals connected to wrap around services.
No. of individuals provided with or referred for wound care
No. of individuals tested for communicable diseases.

I. Evidence-Based Data Collection and Research Analyzing the effectiveness of the Abatement Strategies within the State.

Provide narrative documentation on progress of research

Approved Uses of the Opioid Recovery Fund

Treatment

A. Treat Opioid Use Disorder (OUD)

Support treatment of Opioid Use Disorder (OUD) and any co-occurring Substance Use Disorder or Mental Health (SUD/MH) conditions through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, those that:

1. Expand availability of treatment for OUD and any co-occurring SUD/MH conditions, including all forms of Medication-Assisted Treatment (MAT) approved by the U.S. Food and Drug Administration.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

No. of adults completing some form of detox

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases

No. of adults connected to treatment for communicable diseases

No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

No. of adults connected to childcare

No. of adults connected to education or job training

No. of adults connected to a job / employment

2. Support and reimburse evidence-based services that adhere to the American Society of Addiction Medicine (ASAM) continuum of care for OUD and any co-occurring SUD/MH conditions.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

3. Expand telehealth to increase access to treatment for OUD and any co-occurring SUD/MH conditions, including MAT, as well as counseling, psychiatric support, and other treatment and recovery support services.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

4. Improve oversight of Opioid Treatment Programs (OTPs) to assure evidence-based or evidence-informed practices, such as adequate methadone dosing and low threshold approaches to treatment.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

5. Support mobile intervention, treatment, and recovery services offered by qualified professionals and service providers, such as peer recovery coaches, for persons with OUD and any co-occurring SUD/MH conditions and for persons who have experienced an opioid overdose.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

6. Provide treatment of trauma for individuals with OUD (e.g., violence, sexual assault, human trafficking, or adverse childhood experiences) and family members (e.g., surviving family members after an overdose or overdose fatality), and training of health care personnel to identify and address such trauma.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases

No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

7. Support evidence-based withdrawal management services for people with OUD and any co-occurring mental health conditions.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

8. Provide training on MAT for health care providers, first responders, students, or other supporting professionals, such as peer recovery coaches or recovery outreach specialists, including tele-mentoring to assist community-based providers in rural or underserved areas.

No. of individuals trained on MAT

9. Support workforce development for addiction professionals who work with persons with OUD and any co-occurring SUD/MH conditions.

No. of addiction professionals attending workforce development activities.

10. Offer fellowships for addiction medicine specialists for direct patient care, instructors, and clinical research for treatments.

No. of fellowships provided.

11. Offer scholarships and support for behavioral health practitioners or workers involved in addressing OUD and any co-occurring SUD/MH or mental health conditions, including, but not limited to, training, scholarships, fellowships, loan repayment programs, or other incentives for providers to work in rural or underserved areas.

No. of scholarships or supports provided.

12. Provide funding and training for clinicians to obtain a waiver under the federal Drug Addiction Treatment Act of 2000 (DATA 2000) to prescribe MAT for OUD and provide technical assistance and professional support to clinicians who have obtained a DATA 2000 waiver.

No. of clinicians trained.

No. of waivers obtained.

13. Disseminate web-based training curricula, such as the American Academy of Addiction Psychiatry's Provider Clinical Support Service–Opioids web-based training curriculum and motivational interviewing.

No. of curricula disseminated.

14. Develop and disseminate new curricula, such as the American Academy of Addiction Psychiatry's Provider Clinical Support Service for Medication–Assisted Treatment

No. of new curricula developed.

No. of curricula disseminated.

B. Support People in Treatment and Recovery

Support people in recovery from OUD and any co-occurring SUD/MH conditions through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the programs or strategies that:

1. Provide comprehensive wrap-around services to individuals with OUD and any co-occurring SUD/MH conditions, including housing, transportation, education, job placement, job training, or childcare

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

No. of adults completing some form of detox

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases

No. of adults connected to treatment for communicable diseases

No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

No. of adults connected to childcare

No. of adults connected to education or job training

No. of adults connected to a job / employment

2. Provide the full continuum of care of treatment and recovery services for OUD and any co-occurring SUD/MH conditions, including supportive housing, peer support services and counseling, community navigators, case management, and connections to community-based services.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

3. Provide counseling, peer support, recovery case management, and residential treatment with access to medications for those who need it to persons with OUD and any co-occurring SUD/MH conditions.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

No. of adults connected to childcare

No. of adults connected to education or job training

No. of adults connected to a job / employment

4. Provide access to housing for people with OUD and any co-occurring SUD/MH conditions, including supportive housing, recovery housing, housing assistance programs, training for housing providers, or recovery housing programs that allow or integrate FDA-approved mediation with other support services.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

No. of adults completing some form of detox

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases

No. of adults connected to treatment for communicable diseases

No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

No. of adults connected to childcare

No. of adults connected to education or job training

No. of adults connected to a job / employment

5. Provide community support services, including social and legal services, to assist in deinstitutionalizing persons with OUD and any co-occurring SUD/MH conditions.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases
No. of adults completing some form of detox
No. of adults tested for communicable diseases
No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

6. Support or expand peer-recovery centers, which may include support groups, social events, computer access, or other services for persons with OUD and any co-occurring SUD/MH conditions.

No. of individuals attending support groups

No. of individuals attending social events.

No. of individuals provided computer access.

7. Provide or support transportation to treatment or recovery programs or services for persons with OUD and any co-occurring SUD/MH conditions.

No. of transports provided to individuals.

8. Provide employment training or educational services for persons in treatment for or recovery from OUD and any co-occurring SUD/MH conditions.

No. of adults connected to education or job training

No. of adults connected to a job / employment

9. Identify successful recovery programs, such as physician, pilot, and college recovery programs, and provide support and technical assistance to increase the number and capacity of high-quality programs to help those in recovery.

No medical providers receiving recovery services.

No of pilots receiving recovery services.

No. of students participating in collegiate recovery services.

10. Engage nonprofits, faith-based communities, and community coalitions to support people in treatment and recovery and to support family members in their efforts to support the person with OUD in the family.

No. of nonprofits engaged.

No. of faith-based communities engaged.

No. of community coalitions engaged.

11. Provide training and development of procedures for government staff to appropriately interact and provide social and other services to individuals with or in recovery from OUD, including reducing stigma.

No. of trainings provided

No. of individuals trained.

12. Support stigma reduction efforts regarding treatment and support for persons with OUD, including reducing the stigma on effective treatment.

No. of stigma reduction efforts supported.

13. Create or support culturally appropriate services and programs for persons with OUD and any co-occurring SUD/MH conditions, including new Americans.

No. of culturally appropriate services/programs created.

No. of culturally appropriate services/programs supported.

14. Create and/or support recovery high schools.

Recovery high school created Y/N

No. of recovery high schools supported.

15. Hire or train behavioral health workers to provide or expand any of the services or supports for people in treatment and recovery.

No. of behavioral health workers hired.

No. of behavioral health workers trained.

C. Connect People Who Need Help to the Help They Need (Connections to Care)

Provide connections to care for people who have – or are at risk of developing – OUD and any co-occurring SUD/MH conditions through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, those that:

1. Ensure that health care providers are screening for OUD and other risk factors and know how to appropriately counsel and treat (or refer if necessary) a patient for OUD treatment.

No. of screenings for OUD verified.

No. of medical provider receiving education and outreach regarding best prescribing practices for opioids consistent with the 2016 CDC guidelines, including providers at hospitals (academic detailing)

2. Fund SBIRT programs to reduce the transition from use to disorders, including SBIRT services to pregnant women who are uninsured or not eligible for Medicaid.

No. of pregnant / postpartum women screened using SBIRT

3. Provide training and long-term implementation of SBIRT in key systems (health, schools, colleges, criminal justice, and probation), with a focus on youth and young adults when transition from misuse to opioid disorder is common.

No. of trainings provided.

No. of individuals trained.

4. Purchase automated versions of SBIRT and support ongoing costs of the technology.

Purchased Y/N

5. Expand services, such as navigators and on-call teams to begin MAT in hospital emergency departments.

No. of individuals hired for emergency department MAT.

No. of individuals inducted onto MAT in emergency departments.

6. Provide training for emergency room personnel treating opioid overdose patients on post-discharge planning, including community referrals for MAT, recovery case management, or support services.

No. of trainings offered.

No. of individuals trained.

7. Support hospital programs that transition persons with OUD and any co-occurring SUD/MH conditions, or persons who have experienced an opioid overdose, into clinically appropriate follow-up care through a bridge clinic or similar approach.

No. of persons transitioning to follow-up care.

8. Support crisis stabilization centers that serve as an alternative to hospital emergency departments for persons with OUD and any co-occurring SUD/MH conditions or persons that have experienced an opioid overdose.

No. of individuals utilizing crisis stabilization centers.

9. Support the work of Emergency Medical Systems, including peer support specialists, to connect individuals to treatment or other appropriate services following an opioid overdose or other opioid-related adverse event.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

10. Provide funding for peer support specialists or recovery coaches in emergency departments, detox facilities, recovery centers, recovery housing, or similar settings; offer services, supports, or connections to care to persons with OUD and any co-occurring SUD/MH conditions or to persons who have experienced an opioid overdose.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

No. of adults completing some form of detox

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases
No. of adults connected to treatment for communicable diseases
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing
No. of adults connected to childcare
No. of adults connected to education or job training
No. of adults connected to a job / employment

11. Expand warm hand-off services to transition to recovery services.

No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of adults connected to therapeutic counseling services
No. of adults connected to MOUD
No. of adults connected to professional mental health care
No. of adults connected to peer supports/recovery services
No. of adults connected to housing

12. Create or support school-based contacts that parents can engage with to seek immediate treatment services for their child; and support prevention, intervention, treatment, and recovery programs focused on young people.

No. of school-based contacts trained in addiction treatment/recovery services.

13. Develop and support best practices on addressing OUD in the workplace.

No. of policies developed on addressing OUD in the workplace.

14. Support assistance programs for health care providers with OUD.

No. of health care providers connected to assistance programs.

15. Engage nonprofits and the faith community as a system to support outreach for treatment.

No. of nonprofits engaged.
No. of faith communities engaged.

16. Support centralized call centers that provide information and connections to appropriate services and supports for persons with OUD and any co-occurring SUD/MH conditions.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

D. Address the Needs of Criminal Justice-Involved Persons

Address the needs of persons with OUD and any co-occurring SUD/MH conditions who are involved in, are at risk of becoming involved in, or are transitioning out of the criminal justice system through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, those that:

1. Support pre-arrest or pre-arraignment diversion and deflection strategies for persons with OUD and any co-occurring SUD/MH conditions, including established strategies, such as:

1. Self-referral strategies, such as the Angel Programs or the Police Assisted Addiction Recovery Initiative (PAARI)

No. of individuals incarcerated provided with an SUD-specific release plan

No. of individuals diverted from incarceration to treatment

No. of individuals diverted from incarceration to housing

No. of individuals connected to SUD therapeutic counseling while on monitored release

No. of individuals connected to MOUD while on monitored release

No. of individuals enrolled into court approved SUD-related deferred adjudication

No. of individuals successfully completing the terms of SUD-related deferred adjudication

No. of drug court participants enrolled

No. of drug court participants graduated

No. of first responders trained to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports

2. Active outreach strategies, such as the Drug Abuse Response Team (DART) model

3. “Naloxone Plus” strategies, which work to ensure that individuals who have received naloxone to reverse the effects of an overdose are then linked to treatment programs or other appropriate services

No. of first responders trained to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports

No. of individuals diverted from incarceration to treatment

No. of individuals diverted from incarceration to housing

No. of individuals connected to SUD therapeutic counseling while on monitored release

No. of individuals connected to MOUD while on monitored release

No. of individuals enrolled into court approved SUD-related deferred adjudication

No. of individuals successfully completing the terms of SUD-related deferred adjudication

No. of drug court participants enrolled

No. of drug court participants graduated

4. Officer prevention strategies, such as the Law Enforcement Assisted Diversion (LEAD) model.

No. of first responders trained to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports

No. of individuals diverted from incarceration to treatment

No. of individuals diverted from incarceration to housing

No. of individuals connected to SUD therapeutic counseling while on monitored release

No. of individuals connected to MOUD while on monitored release

No. of individuals enrolled into court approved SUD-related deferred adjudication

No. of individuals successfully completing the terms of SUD-related deferred adjudication

No. of drug court participants enrolled

No. of drug court participants graduated

5. Officer intervention strategies, such as the Leon County, Florida Adult Civil Citation Network or the Chicago Westside Narcotics Diversion to Treatment Initiative

No. of first responders trained to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports

No. of individuals diverted from incarceration to treatment

No. of individuals diverted from incarceration to housing

No. of individuals connected to SUD therapeutic counseling while on monitored release

No. of individuals connected to MOUD while on monitored release

No. of individuals enrolled into court approved SUD-related deferred adjudication

No. of individuals successfully completing the terms of SUD-related deferred adjudication

No. of drug court participants enrolled

No. of drug court participants graduated

6. Co-responder and/or alternative responder models to address OUD-related 911 calls with greater SUD expertise.

No. of individuals diverted from incarceration to treatment

No. of individuals diverted from incarceration to housing

No. of individuals connected to SUD therapeutic counseling while on monitored release

No. of individuals connected to MOUD while on monitored release

No. of individuals enrolled into court approved SUD-related deferred adjudication

No. of individuals successfully completing the terms of SUD-related deferred adjudication

No. of drug court participants enrolled

No. of drug court participants graduated

No. of first responders trained to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports

2. Support pre-trial services that connect individuals with OUD and any co-occurring SUD/MH conditions to evidence-informed treatment, including MAT and related services.

No. of individuals diverted from incarceration to treatment

No. of individuals diverted from incarceration to housing

No. of individuals connected to SUD therapeutic counseling while on monitored release

No. of individuals connected to MOUD while on monitored release

No. of individuals enrolled into court approved SUD-related deferred adjudication
No. of individuals successfully completing the terms of SUD-related deferred adjudication

3. Support treatment and recovery courts that provide evidence-based options for persons with OUD and any co-occurring SUD/MH conditions.

No. of individuals diverted from incarceration to treatment
No. of individuals diverted from incarceration to housing
No. of individuals connected to SUD therapeutic counseling while on monitored release
No. of individuals connected to MOUD while on monitored release
No. of individuals enrolled into court approved SUD-related deferred adjudication
No. of individuals successfully completing the terms of SUD-related deferred adjudication
No. of drug court participants enrolled
No. of drug court participants graduated
No. of first responders trained to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports

4. Provide evidence-informed treatment, including MAT, recovery support, harm reduction, or other appropriate services to individuals with OUD and any co-occurring SUD/MH conditions who are incarcerated in jail or prison.

No. of individuals receiving SUD screening while incarcerated
No. of individuals completing some form of detox while incarcerated
No. of individuals tested for communicable diseases while incarcerated
No. of individuals testing positive for communicable diseases while incarcerated
No. of individuals connected to treatment for communicable diseases while incarcerated
No. of individuals provided SUD therapeutic counseling while incarcerated
No. of individuals provided Medication Assisted Treatment for SUD while incarcerated
No. of individuals provided professional mental health care while incarcerated
No. of individuals connected to peer supports/recovery services while incarcerated
No. of individuals provided with education or job training while incarcerated
No. of individuals incarcerated provided with an SUD-specific release plan

5. Provide evidence-informed treatment, including MAT, recovery support, harm reduction, or other appropriate services to individuals with OUD and any co-occurring SUD/MH conditions who are leaving jail or prison or have recently

left jail or prison, are on probation or parole, are under community corrections supervision, or are in re-entry programs or facilities.

No. of individuals receiving SUD screening while incarcerated

No. of individuals completing some form of detox while incarcerated

No. of individuals tested for communicable diseases while incarcerated

No. of individuals testing positive for communicable diseases while incarcerated

No. of individuals connected to treatment for communicable diseases while incarcerated

No. of individuals provided SUD therapeutic counseling while incarcerated

No. of individuals provided Medication Assisted Treatment for SUD while incarcerated

No. of individuals provided professional mental health care while incarcerated

No. of individuals connected to peer supports/recovery services while incarcerated

No. of individuals provided with education or job training while incarcerated

No. of individuals incarcerated provided with an SUD-specific release plan

No. of individuals diverted from incarceration to treatment

No. of individuals diverted from incarceration to housing

No. of individuals connected to SUD therapeutic counseling while on monitored release

No. of individuals connected to MOUD while on monitored release

No. of individuals enrolled into court approved SUD-related deferred adjudication

No. of individuals successfully completing the terms of SUD-related deferred adjudication

No. of drug court participants enrolled

No. of drug court participants graduated

6. Support Critical Time Interventions (CTI), particularly for individuals living with dual-diagnosis OUD/serious mental illness, and services for individuals who face immediate risks and service needs and risks upon release from correctional settings.

No. of persons receiving support and connection to people and agencies that will assume the primary role of support.

No. of support networks receiving oversight to strengthen the support network and client skills.

No. of persons completing CTI services with support network safely in place.

7. Provide training on best practices for addressing the needs of criminal justice-involved persons with OUD and any co-occurring SUD/MH conditions to law enforcement, correctional, or judicial personnel or to providers of treatment, recovery, harm reduction, case management, or other services offered in connection with any of the strategies described in this section.

No. of trainings provided.
No. of individuals trained.

E. Address the Needs of Pregnant or Parenting Women and Their Families, including Babies with Neonatal Abstinence Syndrome (NAS)

Address the needs of pregnant or parenting women with OUD and any co-occurring SUD/MH conditions, and the needs of their families, including babies with neonatal abstinence syndrome (NAS), through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, those that:

1. Support evidence-based or evidence-informed treatment, including MAT, recovery services and supports, and prevention services for pregnant women – or women who could become pregnant – who have OUD and any co-occurring SUD/MH conditions, and other measures to educate and provide support to families affected by Neonatal Abstinence Syndrome.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT

2. Expand comprehensive evidence-based treatment and recovery services, including MAT, for uninsured women with OUD and any co-occurring SUD/MH conditions for up to 12 months postpartum.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox

No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT

3. Provide training for obstetricians or other health care personnel who work with pregnant women and their families regarding treatment of OUD and any co-occurring SUD/MH conditions.

No. of trainings offered.

No. of individuals trained.

4. Expand comprehensive evidence-based treatment and recovery support for NAS babies; expand services for better continuum of care with infant-need dyad and expand long-term treatment and services for medical monitoring of NAS babies and their families.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated

No. of pregnant / postpartum women screened using SBIRT

5. Provide training to health care providers who work with pregnant or parenting women on best practices for compliance with federal requirements that children born with NAS get referred to appropriate services and receive a plan of safe care.

No. of trainings offered.

No. of individuals trained.

6. Provide child and family support for parenting women with OUD and any co-occurring SUD/MH conditions.

No. of pregnant / postpartum women completing some form of detox

No. of pregnant / postpartum women completing some form of detox

No. of pregnant / postpartum women testing positive for communicable diseases

No. of pregnant / postpartum women connected to treatment for communicable diseases

No. of pregnant / postpartum women connected to therapeutic counseling services

No. of pregnant / postpartum women connected to MOUD

No. of pregnant / postpartum women connected to professional mental health care

No. of pregnant / postpartum women connected to peer supports/recovery services

No. of pregnant / postpartum women connected to housing

No. of pregnant / postpartum women connected to childcare

No. of pregnant / postpartum women connected to education or job training

No. of pregnant / postpartum women connected to a job / employment

No. of babies with neonatal abstinence syndrome treated

No. of pregnant / postpartum women screened using SBIRT

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

7. Provide enhanced family support and childcare services for parents with OUD and any co-occurring SUD/MH conditions.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT
No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases

8. Provide enhanced support for children and family members suffering trauma as a result of addiction in the family and offer trauma-informed behavioral health treatment for adverse childhood events.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing

No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT
No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases

9. Offer home-based wrap-around services to persons with OUD and any co-occurring SUD/MH conditions, including, but not limited to, parent skills training.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT
No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases

10. Provide support for Children's Services – fund additional positions and services, including supportive housing and other residential services, relating to children being removed from the home and/or placed in foster care due to custodial opioid use.

No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women completing some form of detox
No. of pregnant / postpartum women testing positive for communicable diseases
No. of pregnant / postpartum women connected to treatment for communicable diseases
No. of pregnant / postpartum women connected to therapeutic counseling services
No. of pregnant / postpartum women connected to MOUD
No. of pregnant / postpartum women connected to professional mental health care
No. of pregnant / postpartum women connected to peer supports/recovery services
No. of pregnant / postpartum women connected to housing
No. of pregnant / postpartum women connected to childcare
No. of pregnant / postpartum women connected to education or job training
No. of pregnant / postpartum women connected to a job / employment
No. of babies with neonatal abstinence syndrome treated
No. of pregnant / postpartum women screened using SBIRT
No. of children (up to age 18) completing some form of detox
No. of children (up to age 18) connected to therapeutic counseling services
No. of children (up to age 18) connected to MOUD
No. of children (up to age 18) connected to professional mental health care
No. of children (up to age 18) connected to peer supports/recovery services
No. of children (up to age 18) tested for communicable diseases
No. of children (up to age 18) testing positive for communicable diseases
No. of children (up to age 18) connected to treatment for communicable diseases

Prevention

F. Prevent Over-Prescribing and Ensure Appropriate Prescribing and Dispensing of Opioids

Support efforts to prevent over-prescribing and ensure appropriate prescribing and dispensing of opioids through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Funding medical provider education and outreach regarding best prescribing practices for opioids consistent with the Guidelines for Prescribing Opioids for Chronic Pain from the U.S. Centers for Disease Control and Prevention, including providers at hospitals (academic detailing).

No. of medical provider receiving education and outreach regarding best prescribing practices for opioids consistent with the 2016 CDC guidelines, including providers at hospitals (academic detailing)

2. Training for health care providers regarding safe and responsible opioid prescribing, dosing, and tapering patients off opioids.

No. of medical provider receiving education and outreach regarding best prescribing practices for opioids consistent with the 2016 CDC guidelines, including providers at hospitals (academic detailing)

3. Continuing Medical Education (CME) on appropriate prescribing of opioids.

No. of medical provider receiving education and outreach regarding best prescribing practices for opioids consistent with the 2016 CDC guidelines, including providers at hospitals (academic detailing)

4. Providing Support for non-opioid pain treatment alternatives, including training providers to offer or refer to multi-modal, evidence-informed treatment of pain.

No. of providers receiving training to offer or refer to multi-modal, evidence-informed treatment of pain.

5. Supporting enhancements or improvements to Prescription Drug Monitoring Programs (PDMPs), including, but not limited to, improvements that:

1. Increase the number of prescribers using PDMPs.

No. of prescribers using PDMPs

2. Improve point-of-care decision-making by increasing the quantity, quality, or format of data available to prescribers using PDMPs, by improving the interface that prescribers use to access PDMP data, or both.

No. of prescribers using PDMPs

3. Enable states to use PDMP data in support of surveillance or intervention strategies, including MAT referrals and follow-up for individuals identified within PDMP data as likely to experience OUD in a manner that complies with all relevant privacy and security laws and rules.

No. of prescribers using PDMPs

6. Ensuring PDMPs incorporate available overdose/naloxone deployment data, including the United States Department of Transportation's Emergency Medical Technician overdose database in a manner that complies with all relevant privacy and security laws and rules.

No. of overdose/naloxone deployment data entries entered into PDMPs.

7. Increasing electronic prescribing to prevent diversion or forgery.

No. of prescriptions switched to electronic.

8. Educating dispensers on appropriate opioid dispensing.

No. of individuals trained.

G. Prevent Misuse of Opioids

Support efforts to discourage or prevent misuse of opioids through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Funding media campaigns to prevent opioid misuse.

No. of media campaign impressions

2. Corrective advertising or affirmative public education campaigns based on evidence.

No. of media campaign impressions

3. Public education relating to drug disposal.

No. of persons educated on drug disposal

4. Drug take-back disposal or destruction programs.

No. of take back/drug disposal events

No. of persons educated on drug disposal

5. Funding community anti-drug coalitions that engage in drug prevention efforts.

No. of children, infant to 5 years old, participating in prevention/education programming

No. children, elementary school age, participating in prevention/education programming

No. of children, middle school age, participating in prevention/education programming

No. of children, high school age, participating in prevention/education programming

No. adults from the general public participating in prevention/education programming

No. of pregnant and/or postpartum women participating in prevention/education programming

No. of teachers participating in prevention/education programming

No. of health care professionals participating in prevention/education programming

No. of law enforcement officers participating in prevention/education programming

No. of first responders participating in prevention/education programming

No. of key officials / policy makers participating in prevention/education programming

6. Supporting community coalitions in implementing evidence-informed prevention, such as reduced social access and physical access, stigma reduction – including staffing, educational campaigns, support for people in treatment or recovery, or training of coalitions in evidence-informed implementation, including the Strategic Prevention Framework developed by the U.S. Substance Abuse and Mental Health Services Administration (SAMHSA).

No. of community coalitions supported in implementing evidence-informed prevention

7. Engaging nonprofits and faith-based communities as systems to support prevention.

No. of faith-based communities engaged. No. of nonprofits engaged.

8. Funding evidence-based prevention programs in schools or evidence-informed school and community education programs and campaigns for students, families, school employees, school athletic programs, parent-teacher and student associations, and others.

No. of children, infant to 5 years old, participating in prevention/education programming

No. children, elementary school age, participating in prevention/education programming

No. of children, middle school age, participating in prevention/education programming

No. of children, high school age, participating in prevention/education programming

No. adults from the general public participating in prevention/education programming

No. of pregnant and/or postpartum women participating in prevention/education programming

No. of teachers participating in prevention/education programming

No. of health care professionals participating in prevention/education programming

No. of law enforcement officers participating in prevention/education programming

No. of first responders participating in prevention/education programming

No. of key officials / policy makers participating in prevention/education programming

9. School-based or youth-focused programs or strategies that have demonstrated effectiveness in preventing drug misuse and seem likely to be effective in preventing the uptake and use of opioids.

No. of children, infant to 5 years old, participating in prevention/education programming

No. children, elementary school age, participating in prevention/education programming

No. of children, middle school age, participating in prevention/education programming

No. of children, high school age, participating in prevention/education programming

No. adults from the general public participating in prevention/education programming

No. of pregnant and/or postpartum women participating in prevention/education programming

No. of teachers participating in prevention/education programming

No. of health care professionals participating in prevention/education programming

No. of law enforcement officers participating in prevention/education programming

No. of first responders participating in prevention/education programming

No. of key officials / policy makers participating in prevention/education programming

10. Create or support community-based education or intervention services for families, youth, and adolescents at risk for OUD and any co-occurring SUD/MH conditions.

No. of community-based education or intervention services supported.

11. Support evidence-informed programs or curricula to address the mental health needs of young people who may be at risk of misusing opioids or other drugs, including emotional modulation and resilience skills.

No. of evidence-informed programs or curricula to address mental health needs supported

12. Support greater access to mental health services and supports for young people, including services and supports provided by school nurses, behavioral health workers, or other school staff, to address mental health needs in young people that (when not properly addressed) increase the risk of opioid or another drug misuse.

No. of school aged children receiving or referred to mental health services.

H. Prevent Overdose Deaths and Other Harms (Harm Reduction)

Support efforts to prevent or reduce overdose deaths or other opioid-related harms through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Increased availability and distribution of naloxone and other drugs that treat overdoses for first responders, overdose patients, individuals with OUD and their friends and family members, schools, community navigators and outreach workers, persons being released from jail or prison, or other members of the general public.

No. of persons educated on how to respond to an overdose

No. of Naloxone kits distributed to at-risk individuals

No. of Fentanyl test kits distributed to at-risk individuals

2. Public health entities providing free naloxone to anyone in the community.

No. of persons educated on how to respond to an overdose

No. of Naloxone kits distributed to at-risk individuals

No. of Fentanyl test kits distributed to at-risk individuals

3. Training and education regarding naloxone and other drugs that treat overdoses for first responders, overdose patients, patients taking opioids, families, schools, community support groups, and other members of the general public.

No. of persons educated on how to respond to an overdose

No. of Naloxone kits distributed to at-risk individuals

No. of Fentanyl test kits distributed to at-risk individuals

4. Enabling school nurses and other school staff to respond to opioid overdoses, and provide them with naloxone, training, and support.

No. of teachers participating in prevention/education programming

No. of health care professionals participating in prevention/education programming

5. Expanding, improving, or developing data tracking software and applications for overdoses/naloxone revivals.

Reported No. of overdoses reversed

6. Public education relating to emergency responses to overdoses.

No. of persons educated on how to respond to an overdose

7. Public education relating to immunity and Good Samaritan laws.

No. of children, infant to 5 years old, participating in prevention/education programming

No. children, elementary school age, participating in prevention/education programming

No. of children, middle school age, participating in prevention/education programming

No. of children, high school age, participating in prevention/education programming

No. adults from the general public participating in prevention/education programming

No. of persons educated on Good Samaritan laws

8. Educating first responders regarding the existence and operation of immunity and Good Samaritan laws.

No. of law enforcement officers participating in prevention/education programming

No. of first responders participating in prevention/education programming

No. of persons educated on Good Samaritan laws

9. Syringe service programs and other evidence-informed programs to reduce harms associated with intravenous drug use, including supplies, staffing, space, peer support services, referrals to treatment, fentanyl checking, connections to care, and the full range of harm reduction and treatment services provided by these programs.

No. of clean syringes provided.

No. of individuals connected to wrap around services.

No. of individuals provided with or referred for wound care

No. of individuals tested for communicable diseases.

10. Expanding access to testing and treatment for infectious diseases such as HIV and Hepatitis C resulting from intravenous opioid use.

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases

No. of adults connected to treatment for communicable diseases

11. Supporting mobile units that offer or provide referrals to harm reduction services, treatment, recovery supports, health care, or other appropriate services to persons that use opioids or persons with OUD and any co-occurring SUD/MH conditions.

No. of children (up to age 18) completing some form of detox

No. of children (up to age 18) connected to therapeutic counseling services

No. of children (up to age 18) connected to MOUD

No. of children (up to age 18) connected to professional mental health care

No. of children (up to age 18) connected to peer supports/recovery services

No. of children (up to age 18) tested for communicable diseases

No. of children (up to age 18) testing positive for communicable diseases

No. of children (up to age 18) connected to treatment for communicable diseases

No. of adults completing some form of detox

No. of adults tested for communicable diseases

No. of adults testing positive for communicable diseases

No. of adults connected to treatment for communicable diseases

No. of adults connected to therapeutic counseling services

No. of adults connected to MOUD

No. of adults connected to professional mental health care

No. of adults connected to peer supports/recovery services

No. of adults connected to housing

No. of adults connected to childcare

No. of adults connected to education or job training

No. of adults connected to a job / employment

12. Providing training in harm reduction strategies to health care providers, students, peer recovery coaches, recovery outreach specialists, or other professionals that provide care to persons who use opioids or persons with OUD and any co-occurring SUD/MH conditions.

No. of individuals trained in harm reduction strategies.

13. Supporting screening for fentanyl in routine clinical toxicology testing.

No. of persons screened for fentanyl.

Other Strategies

I. First Responders

In addition to the items described on the [Treatment](#) and [Prevention](#) pages relating to first responders, support the following:

1. Education of law enforcement or other first responders regarding appropriate practices and precautions when dealing with fentanyl or other drugs.

No. of law enforcement or other first responders trained regarding appropriate practices and precautions when dealing with fentanyl or other drugs.

2. Provision of wellness and support services for first responders and others who experience secondary trauma associated with opioid-related emergency events

No. of individuals engaged in wellness and support services.

J. Leadership, Planning and Coordination

Support efforts to provide leadership, planning, coordination, facilitation, training, and technical assistance to abate the opioid epidemic through activities, programs, or strategies that may include, but are not limited to, the following:

1. Statewide, regional, local, or community regional planning to identify root causes of addiction and overdose, goals for reducing harms related to the opioid epidemic, and areas and populations with the greatest needs for treatment intervention services, and to support training and technical assistance and other strategies to abate the opioid epidemic described in this opioid abatement strategy list.

No. of staff trained to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

2. A dashboard to:

1. Share reports, recommendations, or plans to spend opioid settlement funds,
2. Show how opioid settlement funds have been spent,
3. Report program or strategy outcomes, or
4. Track, share, or visualize key opioid or health-related indicators and supports as identified through collaborative statewide, regional, local, or community processes.

No. of staff trained to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

3. Invest in infrastructure or staffing at government or not-for-profit agencies to support collaborative, cross-system coordination with the purpose of preventing overprescribing, opioid misuse, or opioid overdoses, treating those with OUD and any co-occurring SUD/MH conditions, supporting them in treatment or recovery, connecting them to care, or implementing other strategies to abate the opioid epidemic described in this opioid abatement strategy list.

No. of staff trained to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

4. Provide resources to staff government oversight and management of opioid abatement programs

No. of staff trained to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

K. Training

In addition to the training referred to throughout the [Opioid Recovery Fund Uses](#), support training to abate the opioid epidemic through activities, programs, or strategies that may include, but are not limited to, those that:

1. Provide funding for staff training or networking programs and services to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

No. of staff trained to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

2. Support infrastructure and staffing for collaborative cross-system coordination to prevent opioid misuse, prevent overdoses, and treat those with OUD and any co-occurring SUD/MH conditions, or implement other strategies to abate the opioid epidemic described in this opioid abatement strategy list (e.g., health care, primary care, pharmacies, PDMPs, etc.).

No. of staff trained to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

L. Research

Support opioid abatement research that may include, but is not limited to, the following:

1. Monitoring, surveillance, data collection, and evaluation of programs and strategies described in this opioid abatement strategy list.
2. Research non-opioid treatment of chronic pain.
3. Research on improved service delivery for modalities, such as SBIRT that demonstrate promising but mixed results in populations vulnerable to opioid use disorders.
4. Research on novel harm reduction and prevention efforts, such as the provision of fentanyl test strips.
5. Research on innovative supply-side enforcement efforts such as improved detection of mail-based delivery of synthetic opioids.
6. Expanded research on swift/certain/fair models to reduce and deter opioid misuse within criminal justice populations that build upon promising approaches used to address other substances (e.g., Hawaii HOPE and Dakota 24/7).
7. Epidemiological surveillance of OUD-related behaviors in critical populations, including individuals entering the criminal justice system, including, but not limited to approaches modeled on the Arrestee Drug Abuse Monitoring (ADAM) system.

8. Qualitative and quantitative research regarding public health risks and harm reduction opportunities within illicit drug markets, including surveys of market participants who sell or distribute illicit opioids.
9. Geospatial analysis of access barriers to MAT and their association with treatment engagement and treatment outcomes.

Provide Narrative documentation on progress of research